



DEEP SEAS¹

Standardised European Alcohol Survey SEAS-2 QUESTIONNAIRE_APPROVED MASTER VERSION

Executive summary of the SEAS-2 activities

1. Introduction

The second wave of the Standardised European Alcohol Survey (SEAS-2) aimed to revise and adapt SEAS-1 (RARHA SEAS). The SEAS survey assesses epidemiological and cultural variables related to alcohol in the European region, in the general population aged 18-65 years. SEAS-2 was deployed in 33 countries (27 EU countries, UK, Norway, Iceland, Bosnia-Herzegovina, Moldova and Serbia), in 34 different languages, and improves the level of harmonisation across countries in terms of the content of the survey questionnaire contents and quality controls. The mode of administration of the survey was either Computer-Assisted Web Interviewing (CAWI) or Computer-Assisted Telephone Interviewing (CATI), or both, depending on the country. Respondents of the survey are recruited from the general population from the national Lightspeed Profiled Research Panels of Kantar TNS.

2. Translation and adaptation of SEAS-2

The final version of the master English SEAS-2 questionnaire was approved in May 2020. Native speaker experts in the alcohol and public health fields were recruited from the RARHA network and from the extended networks of the DEEP SEAS partnership for each survey country. For those languages available in SEAS-1, the translated versions of the SEAS-1 questionnaires were used as a reference for the translation and adaptation of the SEAS-2 questionnaire to the local variety of the language(s), in order to ensure consistency between the two waves. The national experts revised the list of alcohol

1

¹ This report was produced under the EU Health Programme 2014-2020 under a service contract with the European Health and Digital Executive Agency (HADEA) acting under the mandate from the European Commission. The information and views set out in this report are those of the author(s) and do not necessarily reflect the official opinion of the Commission/Executive Agency. The Commission/Executive Agency do not guarantee the accuracy of the data included in this study. Neither the Commission /Executive Agency nor any person acting on the Commission's / Executive Agency's behalf may be held responsible for the use which may be made of the information contained therein.

Les informations et points de vue exposés dans le présent (ou la présente) rapport n'engagent que leur auteur (ou leurs auteurs) et ne sauraient être assimilés à une position officielle de la Commission/Agence Exécutive. La Commission/Agence Exécutive ne garantissent pas l'exactitude des données figurant dans la présente étude. Ni la Commission/ Agence Exécutive ni aucune personne agissant au nom de la Commission/ Agence Exécutive n'est responsable de l'usage qui pourrait être fait des informations contenues dans le présent texte.

container types and sizes of the most popular alcoholic drinks in each country (see annex). The final country versions of the questionnaire were revised twice by the national experts before the launch of the survey.

Table 1. below shows the complete list of countries participating in SEAS-2, with information on SEAS-1 participation, and SEAS-2 local language version(s) and SEAS-2 mode of administration.

Country	Participated in SEAS-1 (Yes/No)	SEAS-2 Language version	SEAS-2 with CAWI or CATI	
Austria	Yes	German ⁶	CAWI	
D. I.:	N.	Dutch (Flemish)	CAWI	
Belgium	No	French ⁵	CAWI	
Bosnia-Herzegovina	No	Bosnian	CATI	
Bulgaria	Yes	Bulgarian	CAWI	
Croatia	Yes	Croatian	CAWI	
Cyprus	No	Greek⁴	CATI	
Czech Republic	No	Czech	CAWI	
Denmark	Yes	Danish	CAWI	
	.,	Estonian	CAWI	
Estonia	Yes	Russian ³	CAWI	
Finland	Yes	Finnish	CAWI	
France	Yes	French ⁵	CAWI	
Germany	No	German ⁶	CAWI	
Greece	Yes	Greek⁴	CAWI	
Hungary	Yes	Hungarian	CAWI	
Iceland	Yes	Icelandic	CATI	
Ireland	No	English ¹	CAWI	
Italy	Yes	Italian	CAWI	
Latvia	No	Latvian	CAWI	
Lithuania	Yes	Lithuanian	CAWI	
	N.	French ⁵	CATI	
Luxembourg	No	German ⁶	CATI	
Malta	No	English ¹	CATI	
	N.	Romanian ²	CATI	
Moldova	No	Russian ³	CATI	
Netherlands	No	Dutch	CAWI	
Norway	Yes	Norwegian	CAWI	
Poland	Yes	Polish	CAWI	
Portugal	Yes	Portuguese	CAWI	
Romania	Yes	Romanian ²	CAWI	
Serbia	No	Serbian	CAWI	
Slovakia	No	Slovak	CAWI	
Slovenia	No	Slovene	CAWI	
Spain	Yes	Spanish	CAWI	
Sweden	Yes	Swedish	CAWI	
United Kingdom	Yes	English ¹	CAWI	

¹English adapted to local context; ² Romanian adapted to local context; ³Russian adapted to local context; ⁴Greek adapted to local context; ⁵French adapted to local context; ⁶German adapted to local context.

The master version of the English SEAS-2 language questionnaire including country-specific lists on container types and sizes are included in the following section.

3. Using the SEAS-2 dataset and questionnaires

The owner of the SEAS-2 data and translated questionnaires is the Health and Digital Executive Agency (HaDEA) of the European Commission. The DEEP SEAS group, as contractors of the tendered service contract number 20177113, are authorised to share this data and supporting files publicly in line with HaDEA's policy to provide open access to documents and data created with EU funding.

Researchers interested in accessing and using the dataset can download the public files from the DEEP SEAS website (https://www.deep-seas.eu/standard-eu-alcohol-survey/).

The final local language versions of the questionnaire for 33 countries, as shown in the table below, are not annexed for reasons of size, but are available from HaDEA upon request.

Prior to any publication, researchers should request permission to use the data via email to: hp-tender@ec.europa.eu.

CAWI Questionnaire

Name	of	surv	/ey
DEEP	SI	EAS	V10

Client name

Author(s) **Senent, José Manuel (TS)**

This questionnaire was written according to Kantar quality procedures

checked by



Survey: 266400910 Version: 17

Global Practice: ...

Repeating study (if this survey has been previously conducted)	
Name of survey	DEEP SEAS V10
Language	English (Europe)
Survey length (minutes)	20
Version	17
Author(s)	Senent, José Manuel (TS)
Contact	
Panel	
Sample size	Gross: Net:
Sample description	
Quota	
If several markets: indicate the markets	
If several targets	
Check-in site	http://www.kantar.com
Comments	

Index

```
B014 - Intro_1: Intro
     Q001 - INTRO_CATI: Introduction CATI
     Q145 - INTRO_CAWI: Introduction CAWI
End B014 - Intro_1: Intro
Q095 - SD_1: Gender
Q096 - SD_2: Age
Q150 - REG: Region of residence
Q097 - SD 3: Nationality
B001 - WB: HEALTH
     Q002 - WB_Intro: WB_Intro
     Q003 - WB_1: General health
     Q004 - WB_2: Psycho well-being
     Q005 - WB_3: Relation satisfaction
End B001 - WB: HEALTH
B002 - BSQF: ALCOHOL CONSUMPTION L12M
     Q006 - BSQF_Intro: Intro alcohol consumption
     Q007 - BSQF_1: HOW OFTEN BEER
    Q008 - BSQF_1. HOW OFTEN BEER
Q008 - BSQF_1_1: Almost daily beer
Q009 - BSQF_1_2: Weekly beer
Q010 - BSQF_1_3: Monthly beer
Q011 - BSQF_1_4: Less Frequently beer
Q012 - BSQF_1_5: Never beer
Q013 - BSQF_2: Beer units consumed L12M
Q140 - BSQF_2_1: Number of units beer
     Q014 - BSQF_3: HOW OFTEN WINE
     Q015 - BSQF_3_1: Almost daily wine
     Q016 - BSQF_3_2: Weekly wine
     Q017 - BSQF 3 3: Monthly wine
     Q018 - BSQF_3_4: Less frequently wine
     Q019 - BSQF_3_5: Never wine
     Q020 - BSQF_4: Wine units consumed L12M
     Q141 - BSQF_4_1: Number of units wine
     Q021 - BSQF_5: HOW OFTEN SPIRITS
     Q022 - BSQF_5_1: Almost daily spirits
     Q023 - BSQF_5_2: Weekly spirits
     Q024 - BSQF_5_3: Monthly spirits
     Q025 - BSQF_5_4: Less frequently spirits Q026 - BSQF_5_5: Never spirits
     Q027 - BSQF_6: Spirits units consumed L12M
     Q144 - BSQF_6_1: Number of units spirits
     Q028 - BSQF_7: HOW OFTEN ADDITIONAL BEVERAGE
Q029 - BSQF_7_1: Almost daily additional beverage
     Q033 - BSQF_7_2: Weekly additional beverage
     Q030 - BSQF_7_3: Monthly additional beverage
     Q031 - BSQF_7_4: Less frequently additional beverage
     Q032 - BSQF 7 5: Never additional beverage
     Q034 - BSQF 8: Additional beverage units consumed L12M
     Q142 - BSQF 8 1: Number of units additional beverage
End B002 - BSQF: ALCOHOL CONSUMPTION L12M
B003 - F: Overall frequency
     Q036 - F_1: HOW OFTEN OVERALL FREQUENCY
     Q037 - F_1_1: Almost daily overall frequency
     Q038 - F_1_2: Weekly overall frequency
     Q039 - F_1_3: Monthly overall frequency
     Q040 - F_1_4: Less frequently overall frequency
     Q041 - F_1_5: Never overall frequency
End B003 - F: Overall frequency
B004 - CD: Circumstances
     Q042 - CD_Intro: ALCOHOL CONSUMPTION CIRCUMSTANCES L12M
     Q143 - CD_2: Drink with meal
     Q043 - CD_2_1: Places where you drink
End B004 - CD: Circumstances
B005 - RSOD: RSOD
     Q156 - RSOD_1A: Largest number of drinks L12M
     Q146 - RSOD_1_Other: Other gender
     Q120 - RSOD_2: RSOD frequency L12M 40g (female) - 60g (male)
```

```
Q121 - RSOD 2 1: Frequency L12M daily 40g (female) - 60g (male)
    Q122 - RSOD_2_2: Frequency L12M weekly 40g (female) - 60g (male)
    Q123 - RSOD_2_3: Frequency L12M monthly 40g (female) - 60g (male)
    Q124 - RSOD_2_4: Frequency L12M less frequently 40g (female) - 60g (male)
End B005 - RSOD: RSOD
B015 - RSOD2: RSOD L12M
    Q126 - RSOD_5: Places where you drink L12M 40g (female)-60g (male)
    Q129 - RSOD_7: RSOD frequency L12M 80g
    Q130 - RSOD_7_1: Frequency L12M daily 80g
    Q131 - RSOD_7_2: Frequency L12M weekly 80g
    Q132 - RSOD_7_3: Frequency L12M monthly 80g
    Q133 - RSOD_7_4: Frequency L12M less frequently 80g
End B015 - RSOD2: RSOD L12M
B006 - RAPS: Consequences
    Q045 - VDB: Consequences intro
    0046 - VDC: Guilt or remorse
    Q047 - VDD: Forgetfulness
    0048 - VDF: Failed
    Q049 - VDG: Drink in the morning
End B006 - RAPS: Consequences
B007 - AP: Attitudes alcohol policy
    Q050 - AP_: Attitudes to alcohol policy
End B007 - AP: Attitudes alcohol policy
B008 - UA: Consumption L7D
    Q157 - UA_1A: Occasions consumption L7D
    Q052 - UA_2: Other alcohol consumption L7D
    Q160 - UA_2_1: Other alcohol consumption L12M
    Q134 - UA_3: Occasions consumption UA L7D
End B008 - UA: Consumption L7D
B009 - CH: Childhood
    Q054 - CH_1: Influence on childhood
    Q055 - VDH: Influential figure
    Q056 - CH 2: Degree of influence
End B009 - CH: Childhood
B010 - HD: Heavy drinkers
    Q057 - HD_1: Heavy drinkers familiarity
    Q058 - HD_2a_1A: Heavy drinkers proximity household
    Q063 - HD 2a 2: Heavy drinkers influence household
    Q064 - HD 2b 2: Heavy drinkers influence not in household
    Q065 - HD 2c 2: Heavy drinkers influence work/school
    Q066 - HD_2d_2: Heavy drinkers influence neighbour
    Q067 - HD_2e_2: Heavy drinkers influence friend
End B010 - HD: Heavy drinkers
B011 - COM: Indirect consequences
    Q068 - COM_Intro: Intro indirect consequences
    Q201 - COM_A:
    Q202 - COM_B:
    Q203 - COM_C:
End B011 - COM: Indirect consequences
B012 - IH: ALCOHOL EFFECT/EXPERIENCES
    Q093 - IH_1: Drinking harmful effect
    Q094 - IH 2: Experiences
End B012 - IH: ALCOHOL EFFECT/EXPERIENCES
B017 - UA_P12M: UNRECODED ALCOHOLIC BEVERAGES
    Q152 - UA_P12M_Intro: Intro unrecorded alcoholic beverages P12M
    Q155 - UA_P12M_3: Unrecoded beer acquired and consumed
    Q154 - UA P12M 2: Unrecoded wine acquired and consumed
    Q153 - UA P12M 1: Unrecoded spirits acquired and consumed
End B017 - UA P12M: UNRECODED ALCOHOLIC BEVERAGES
B016 - CP: Coronavirus pandemic
    Q151 - CP_1: Coronavirus pandemic affections
End B016 - CP: Coronavirus pandemic
B013 - SD: SOCIODEMOGRAPHICS
    Q098 - SD_4: Marital status
    Q099 - SD_5: Permanent partner
    Q100 - SD_6: Household size
    Q147 - SD_6A: Household size_2
    Q101 - SD_7: Household members under 18
    Q102 - SD 8: Type of residence
```

Q103 - SD_9: Highest school grade

- Q104 SD 10: Professionally active
- Q148 Demo_Empl: Employment status
- Q105 SD_11: Occupation
- Q106 SD_12: Employment status
- Q107 SD_13: Non professionally active status
- Q108 SD_14: Paid work in the past
- Q109 SD_15: Last occupation
- Q110 SD_16: Previous employment status
- Q111 SD_17: Occupation household income provider
- Q112 SD_18 : Type employment income provider
- Q113 SD_19: Drive a motor vehicle regularly
- Q114 SD_20: Monthly net household income Q115 SD_20A: Category household income
- Q116 SD_21: Religious affiliation
- Q117 SD_22: Religious involvement
- Q118 SD_23: Pregnant in L12M
- Q119 SD_23a: Alcohol concumption during pregnancy

End B013 - SD: SOCIODEMOGRAPHICS

Q135 - INTERVIEW_INFO: INTERVIEW INFORMATION

Q149 - GRAT: Gratitude

B014 - Intro_1: Intro

Begin block

Scripter notes: Add input boxes to allow recording date and survey start time (hour & minute) include also time count boxes at the beggining of each block

Q001 - INTRO_CATI: Introduction CATI

Single coded

Not back

Good morning/afternoon/evening, I am INTERVIEWER'S NAME. We are conducting an important international study as part of the European Commission funded contract DEEP SEAS (www.deep-seas.eu), about people's experiences, opinions and attitudes towards alcohol. It does not matter whether you drink or not or how much you drink. This survey also includes personal subjects, so we need your explicit consent for the processing of these kinds of data. (i.e. you can refuse to respond to personal questions – e.g. about religious beliefs, etc).

We are interested in capturing as wide a range of views as possible and would greatly appreciate your participation through this survey. The questions should take no more than 20 minutes of your time.

Your participation in the study is completely voluntary and you can refuse to respond to any questions or stop the survey at any time. Any personal data will be gathered and stored in line with the latest EU data protection regulations (GDPR 2016/679), and your anonymity is entirely guaranteed. Your name or any other information that identify you as a person will not be recorded or associated in any way with your responses. You can exercise your rights by sending an email to gdpr.kantar@kantar.com.

Do you agree to participate in this study?

Normal

- 1 Yes, I agree to participate
- 2 No, I do not agree to participate

Q145 - INTRO_CAWI: Introduction CAWI

Single coded

Not back

Welcome to this new survey. We are conducting an important international study as part of the European Commission funded contract DEEP SEAS (www.deep-seas.eu), about people's experiences, opinions and attitudes towards alcohol. It does not matter whether you drink or not or how much you drink. This survey also includes personal subjects, so we need your explicit consent for the processing of these kinds of data. (i.e. you can refuse to respond to personal questions – e.g. about religious beliefs, etc).

We are interested in capturing as wide a range of views as possible and would greatly appreciate your participation through this survey. The questions should take no more than 20 minutes of your time.

Your participation in the study is completely voluntary and you can refuse to respond to any questions or stop the survey at any time. Any personal data will be gathered and stored in line with the latest EU data protection regulations (GDPR 2016/679), and your anonymity is entirely guaranteed. Your name or any other information that identify you as a person will not be recorded or associated in any way with your responses. You can exercise your rights by sending an email to gdpr.kantar@kantar.com.

Do you agree to participate in this study?

<u>Normal</u>

- 1 Yes, I agree to participate
- 2 No, I do not agree to participate

B014 - Intro_1: Intro

End block

Q095 - SD_1: Gender

Single coded

Not back

What is your gender?

Normal

1 Male2 Female

3 Other

Q096 - SD_2: Age

Numeric

Not back | Min = 18 | Max = 64

What is your age?

Q150 - REG: Region of residence

Single coded

Not back

And, in what region do you currently live?

Normal

1 [region specific] sharelist

Scripter notes: Replace [region_specific] according to region specific shared list of each country.

Q097 - SD_3: Nationality

Single coded

Answer not required | Not back

What is your nationality?

Normal

NOTITIAL	
1	Austria
2	Belgium
3	Bosnia-Herzegovina
4	Bulgaria
5	Croatia
6	Cyprus
7	Czechia
8	Denmark
9	Estonia
10	Finland
11	France
12	Germany
13	Greece
14	Hungary
15	Iceland
16	Ireland
17	Italy
18	Latvia
19	Lithuania
20	Luxembourg
21	Malta
22	Moldova
23	Netherlands
24	Norway
25	Poland
26	Portugal
27	Romania
28	Serbia
29	Slovakia
30	Slovenia
31	Spain
32	Sweden
33	United Kingdom
34	Other Europe (specify) *Open *Fixed
35	Turkey
36	Other Middle East
37	Other Asia
38	Other North America
39	Other Central American and the Caribbean
40	Other South America
41	Other North Africa
42	Other Sub-Saharan Africa
43	Other Oceania

B001 - WB: HEALTH

Begin block

Q002 - WB_Intro: WB_Intro

Text

Not back

To start with I would like to talk to you about your health.

Q003 -	WB	1:	General	health
--------	----	----	----------------	--------

Single coded

Not back

How is your health in general? Is it

Normal

- 1 Very good
- 2 Good
- 3 Fair
- 4 Bad
- 5 Very bad
- 997 I prefer not to answer *Fixed *Exclusive

Q004 - WB_2: Psycho well-being

Single coded

Not back

How would you rate your psychological well-being? Is it

Normal

- 1 Very good
- 2 Good
- 3 Fair
- 4 Bad
- 5 Very bad
- 997 I prefer not to answer *Fixed *Exclusive

Q005 - WB_3: Relation satisfaction

Single coded

Not back

Further, we would like to know how you would generally rate your satisfaction with your relationships with people around you i.e. your family, friends and colleagues. In general, are these relationships

Normal

- 1 Very good
- 2 Good
- 3 Fair
- 4 Bad
- 5 Very bad
- 997 I prefer not to answer *Fixed *Exclusive

	_	^ -		3.4	, D		_	_	
-			_	- 1/1	-		-	ΛΙ	_TH
_	v	•	_			_	_	~ •	

End block

B002 - BSQF: ALCOHOL CONSUMPTION L12M

Begin block

Q006 - BSQF_Intro: Intro alcohol consumption

Text

Not back

The next questions are about how often you drank different alcoholic beverages in the past 12 months and how much you usually drank on the days when you drank.

Q007 - BSQF_1: HOW OFTEN BEER

Single coded

Not back

How often did you drink <u>beer</u> in the past 12 months? Would you say that you drank 'almost daily', 'weekly', 'monthly', 'less frequently' or 'never'?

Normal

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never

Ask only if Q007 - BSQF_1,1

Q008 - BSQF_1_1: Almost daily beer

Single coded

Not back

As you selected almost daily, was it...

Normal

- 1 every day
- 2 5-6 days a week

Ask only if **Q007 - BSQF_1**,2

Q009 - BSQF_1_2: Weekly beer

Single coded

Not back

As you selected weekly, was it...

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if **Q007 - BSQF_1**,3

Q010 - BSQF_1_3: Monthly beer

Single coded

Not back

As you selected monthly, was it...

Normal

- 1 2-3 days in a month
- 2 one day in a month

Ask only if Q007 - BSQF_1,4

Q011 - BSQF_1_4: Less Frequently beer

Single coded

Not back

As you selected less frequently, was it...

- 1 6-11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

Ask only if **Q007 - BSQF_1**,5

Q012 - BSQF_1_5: Never beer

Single coded

Not back

As you selected never...

Normal

- 1 you did not drink beer in the past 12 months, but you drank earlier
- 2 you have never drunk beer in your life, or only a few sips

Scripter notes: If code 1 or 2 selected, go to Q014 - BSQF_3

Ask only if **Q007 - BSQF_1**,1,2,3,4

Q013 - BSQF_2: Beer units consumed L12M

Single coded

Not back

Now we will talk about the quantity of beer consumed. How much beer did you usually drink the days when you drank beer in the past 12 months? From the list of units below please select one and report how many units you usually drank.

If your usual unit is not on the list, please indicate the one that is closest to the one you usually use.

Normal

1 [beer specific containers] codelist

Scripter notes: SPECIFIC LIST OF BEER UNITS PER COUNTRY (see annex)

Q140 - BSQF_2_1: Number of units beer

Numeric

Not back | Min = 0 | Max = 200

How many units (of the size noted in previous question) did you usually drink in these days?

Scripter notes: Show this question for the option selected in Q13 BSQF 2

Q014 - BSQF_3: HOW OFTEN WINE

Single coded

Not back

How often did you drink <u>wine</u> in the past 12 months? Would you say that you drank 'almost daily', 'weekly', 'monthly', 'less frequently' or 'never'?

Normal

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never

Ask only if **Q014 - BSQF_3**,1

Q015 - BSQF_3_1: Almost daily wine

Single coded

Not back

As you selected almost daily, was it ...

- 1 every day
- 2 5-6 days a week

Ask only if **Q014 - BSQF_3**,2

Q016 - BSQF_3_2: Weekly wine

Single coded

Not back

As you selected weekly, was it ...

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if Q014 - BSQF_3,3

Q017 - BSQF_3_3: Monthly wine

Single coded

Not back

As you selected monthly, was it ...

Normal

- 1 2-3 days in a month
- 2 one day in a month

Ask only if Q014 - BSQF_3,4

Q018 - BSQF_3_4: Less frequently wine

Single coded

Not back

As you selected less frequently, was it ...

Normal

- 1 6 11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

Ask only if **Q014 - BSQF_3**,5

Q019 - BSQF_3_5: Never wine

Single coded

Not back

As you selected never ...

Normal

- 1 you did not drink wine in the past 12 months, but you drank earlier
- 2 you have never drunk wine in your life, or only a few sips

Scripter notes: If codes 1 or 2 selected, go to Q021 - BSQF_5

Ask only if **Q014 - BSQF_3**,1,2,3,4

Q020 - BSQF_4: Wine units consumed L12M

Single coded

Not back

How much wine did you usually on the days when you drank wine in the past 12 months? From the list of units below please select one and report how many units you usually drank.

If your usual unit is not on the list, please indicate the one that is closest to the one you usually use.

Normal

1 [wine containers] codelist

Researcher notes: SPECIFIC LIST OF WINE UNITS PER COUNTRY (see annex)

Q141 - BSQF_4_1: Number of units wine

Numeric

Not back | Min = 0 | Max = 200

How many units (of the size noted in previous question) did you usually drink in these days?

Scripter notes: Show this question for the option selected in Q20 BSQF 4

Q021 - BSQF_5: HOW OFTEN SPIRITS

Single coded

Not back

How often did you drink <u>spirits</u> (e.g. vodka, gin, whisky, brandy) in the past 12 months? Would you say that you drank 'almost daily', 'weekly', 'monthly', 'less frequently' or 'never'?

Normal

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never

Ask only if Q021 - BSQF_5,1

Q022 - BSQF_5_1: Almost daily spirits

Single coded

Not back

As you selected almost daily, was it ...

Normal

- 1 every day
- 2 5-6 days a week

Ask only if **Q021 - BSQF_5**,2

Q023 - BSQF_5_2: Weekly spirits

Single coded

Not back

As you selected weekly, was it ...

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if Q021 - BSQF_5,3

Q024 - BSQF_5_3: Monthly spirits

Single coded

Not back

As you selected monthly, was it ...

- 1 2-3 days in a month
- 2 one day in a month

Ask only if Q021 - BSQF_5,4

Q025 - BSQF_5_4: Less frequently spirits

Single coded

Not back

As you selected less frequently, was it ...

Normal

- 1 6 11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

Ask only if **Q021 - BSQF_5**,5

Q026 - BSQF_5_5: Never spirits

Single coded

Not back

As you selected never ...

Normal

- 1 you did not drink spirits in the past 12 months, but you drank earlier
- 2 you have never drunk spirits in your life, or only a few sips

Scripter notes: If code 1 or 2 selected, go to Q028 - BSQF_7

Ask only if **Q021 - BSQF_5**,1,2,3,4

Q027 - BSQF_6: Spirits units consumed L12M

Single coded

Not back

How much spirits did you usually drink the days when you drank spirits in the past 12 months? From the list of units below please select one and report how many units you usually drank.

If your usual unit is not on the list, please indicate the one that is closest to the one you usually use.

Normal

1 [spirits containers] codelist

Researcher notes: SPECIFIC LIST OF SPIRITS UNITS PER COUNTRY (see annex)

Q144 - BSQF_6_1: Number of units spirits

Numeric

Not back | Min = 0 | Max = 200

How many units (of the size noted in previous question) did you usually drink in these days?

Scripter notes: Show this question for the option selected in Q027 - BSQF_6

Q028 - BSQF_7: HOW OFTEN ADDITIONAL BEVERAGE

Single coded

Not back

How often did you drink ______[additional beverage list per country] in the past 12 months? Would you say that you drank 'almost daily', 'weekly', 'monthly', 'less frequently' or 'never'?

Normal

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never

Scripter notes: BSFQ_7 and questions within this numeral are only required in some countries (if contribution of additional beverage on total alcohol consumption exceeds 5%).

Ask only if **Q028 - BSQF_7**,1

Q029 - BSQF_7_1: Almost daily additional beverage

Single coded

Not back

As you selected almost daily, was it ...

Normal

- 1 every day
- 2 5-6 days a week

Ask only if **Q028 - BSQF_7**,2

Q033 - BSQF_7_2: Weekly additional beverage

Single coded

Not back

As you selected weekly, was it ...

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if **Q028 - BSQF_7**,3

Q030 - BSQF_7_3: Monthly additional beverage

Single coded

Not back

As you selected monthly, was it ...

Normal

- 1 2-3 days in a month
- 2 one day in a month

Ask only if Q028 - BSQF_7,4

Q031 - BSQF_7_4: Less frequently additional beverage

Single coded

Not back

As you selected less frequently, was it ...

Normal

- 1 6 11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

Ask only if **Q028 - BSQF_7**,5

Q032 - BSQF_7_5: Never additional beverage

Single coded

Not back

As you selected never ...

Normal

- 1 you did not drink ____ in the past 12 months, but you drank earlier
- 2 you have never drunk ____ in your life, or only a few sips

Scripter notes: If code 1 or 2 selected, go to B003 - F

Ask only if **Q028 - BSQF_7**,1,2,3,4

Q034 - BSQF_8: Additional beverage units consumed L12M

Single coded

Not back

How much ___ [additional beverage list per country] did you usually drink the days when you drank [additional beverage list per country] in the past 12 months? From the list of units below please select one and report how many units you usually drank.

If your usual unit is not on the list, please indicate the one that is closest to the one you usually use.

Normal

1 [additional beverage containers] codelist

Scripter notes: SPECIFIC LIST OF ADDITIONAL BEVERAGE UNITS PER COUNTRY (see annex)

BSQF_8 and questions within this numeral are only required in some countries (if contribution of additional beverage on total alcohol consumption exceeds 5%).

Q142 - BSQF_8_1: Number of units additional beverage

Numeric

Not back | Min = 0 | Max = 200

How many units (of the size noted in previous question) did you usually drink in these days?

Scripter notes: Show this question for the option selected in 34 BSQF 8

B002 - BSQF: ALCOHOL CONSUMPTION L12M

End block

B003 - F: Overall frequency

Begin block

Q036 - F_1: HOW OFTEN OVERALL FREQUENCY

Single coded

Not back

Now, I would like to ask you about your <u>overall frequency of drinking</u>, this includes beer, wine, spirits [and +additional beverage list per country] reported by you in previous questions, and any other type of alcoholic drink / liquor not asked in previous questions that you have had in the past 12 months (even in small amounts). Would you say that you drank...

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never

Ask only if **Q036 - F_1**,1

Q037 - F_1_1: Almost daily overall frequency

Single coded

Not back

As you selected almost daily, was it ...

Normal

- 1 every day
- 2 5-6 days a week

Ask only if **Q036 - F_1**,2

Q038 - F_1_2: Weekly overall frequency

Single coded

Not back

As you selected weekly, was it ...

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if **Q036 - F_1**,3

Q039 - F_1_3: Monthly overall frequency

Single coded

Not back

As you selected monthly, was it ...

Normal

- 1 2-3 days in a month
- 2 one day in a month

Ask only if **Q036 - F_1**,4

Q040 - F_1_4: Less frequently overall frequency

Single coded

Not back

As you selected less frequently, was it ...

Normal

- 1 6 11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

Ask only if **Q036 - F_1**,5

Q041 - F_1_5: Never overall frequency

Single coded

Not back

As you selected never ...

Normal

- 1 you did not drink in the past 12 months, but you drank earlier
- 2 you have never drunk in your life, or only a few sips

Scripter notes: If code 1 or 2 selected, go to B007 - AP

B003 - F: Overall frequency

End block

Ask only if **Q036 - F_1**,1,2,3,4

B004 - CD: Circumstances

Begin block

Q042 - CD_Intro: ALCOHOL CONSUMPTION CIRCUMSTANCES L12M Text

Not back

The next questions are about the circumstances in which you drank alcohol in the past 12 months:

Q143 - CD_2: Drink with meal

Single coded

Not back

How often did you drink with a meal?

Normal

- 1 Almost daily (5-7 days a week)
- Weekly (1-4 days a week)
- 3 Monthly (1- 3 days a month)
- 4 Less frequently (1 11 days a year)
- 5 Never in the past 12 months

Q043 - CD_2_1: Places where you drink

Matrix

Not back | Number of rows: 4 | Number of columns: 5

Next questions will be about the place where you drInk. How often did you drink...

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Almost daily (5-7 days a week)	Weekly (1-4 days a week)	Monthly (1- 3 days a month)	Less frequently (1 - 11 days a year)	Never in the past 12 months
		1	2	3	4	5
in your home?	1	O	•	O	•	0
in somebody else's home?	2	O	0	•	0	0
in a pub, bar, club, restaurant?	3	O	0	•	O	O
outdoors, such as, in parks, in the street, etc.?	4	•	0	O	O	O

B004 - CD: Circumstances

End block

		_				
Ask	only	if O	เกรด	- F	1 1	234

B005 - RSOD: RSOD

Begin block

Not back | Number of rows: 1 | Number of columns: 3

So far, we were asking you about amounts of alcohol you usually drink on days when you consume alcohol. The next series of questions will ask you about the largest amount of alcohol you <u>had on one single occasion</u> during the past 12 months. Please recall what beverages you drank and in what amounts on that occasion. Enter in boxes below the number of containers you drank in that occasion or 0 if you did not.

Rows: Normal | Columns: Normal

		Number of containers	Number specific country SD ¹ (n grams of pure alcohol) per container (hidden for respondents)	Total number of standard units (hidden for respondents)
		1	2	3
[specific list of drinks] codelist	1	O	O	O

Scripter notes: Columns 2 and 3 should be hidden. Column 3 should be calculated by multiplying column 1 and

See word document for more info.

IF VOLUME OF ALCOHOL IS LOWER THAN 60 GRAMS FOR MEN AND 40 GRAMS FOR WOMEN THE NEXT QUESTIONS IN RSOD AND RSOD2 SECTION SHOULD BE SKIPPED

Ask only if **Q095 - SD_1**,3

Q146 - RSOD_1_Other: Other gender

Single coded

Not back

The following questions consider sex-specific standards of alcohol consumption.

Please let us know if you wish to respond to the male or female version?

Normal

1 Male

2 Female

3 I prefer not to answer

Scripter notes: Ask this question only if code 3 marked in Q095 - SD_1 If code 3 - I prefer not to answer go to B006 - RAPS

_

^{1 (}see annex)

Q120 - RSOD_2: RSOD frequency L12M 40g (female) - 60g (male)

Single coded

Not back

How often in the past 12 months, <u>have you had {#\.Equiv units RSOD 2} grams of pure alcohol or more on one occasion?</u>

{#\.Equiv_units_RSOD_2} {#\.Equiv_grams_RSOD_2}

The table below shows equivalent of {#\.Equiv_units_RSOD_2} grams of pure alcohol for different beverages and various containers.

Would you say that you drank ...

Normal

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never in the past 12 months

Scripter notes: Ask if RSOD_1A: Total alcohol grams is equal or more than women 40 grams / men 60 grams [Country-specific number of drinks has to be entered which corresponds to 40 grams of 100% alcohol for women, and 60 grams for men]. (see annex)

If code = 5 then go to B006- RAPS: Consequences

Ask only if Q120 - RSOD_2,1

Q121 - RSOD_2_1: Frequency L12M daily 40g (female) - 60g (male) Single coded

Not back

As you selected almost daily, was it ...

Normal

- 1 every day
- 2 5-6 days a week

Ask only if **Q120 - RSOD_2**,2

Q122 - RSOD_2_2: Frequency L12M weekly 40g (female) - 60g (male) Single coded

Not back

As you selected weekly, was it ...

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if **Q120 - RSOD_2**,3

Q123 - RSOD_2_3: Frequency L12M monthly 40g (female) - 60g Single coded (male)

Not back

As you selected monthly, was it ...

- 1 2-3 days in a month
- 2 one day in a month

Ask only if Q120 - RSOD_2,4

Q124 - RSOD_2_4: Frequency L12M less frequently 40g (female) - 60g (male)

Single coded

Not back

As you selected less frequently, was it ...

Normal

- 1 6 11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

B005 - RSOD: RSOD End block

Ask only if **Q036 - F_1**,1,2,3,4

B015 - RSOD2: RSOD L12M Begin block

Q126 - RSOD_5: Places where you drink L12M 40g (female)-60g (male)

Matrix

Not back | Number of rows: 4 | Number of columns: 5

Next question will be about $\underline{\text{the place}}$ where you drank $\{\#\.\text{Equiv_units_RSOD_2}\}\$ grams of pure alcohol or more in the past 12 months.

Please remember that {#\.Equiv_units_RSOD_2} {#\.Equiv_grams_RSOD_5}

The table below shows equivalent of {#\.Equiv_units_RSOD_2} grams of pure alcohol for different beverages and various containers.

(Display the table with the equivalence of drinks and alcohol grams (women: 40 gr / men 60 gr)

How often did you drink {#\.Equiv_units_RSOD_2} g or more...

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Almost daily (5-7 days a week)	Weekly (1-4 days a week)	Monthly (1- 3 days a month)	Less frequently (1 - 11 days a year)	Never in the past 12 months
		1	2	3	4	5
in your home?	1	•	O	O	O	O
in somebody else's home?	2	•	•	•	•	•
in a pub, bar, club, restaurant?	3	O	•	•	•	0
outdoors, such as, in parks, in the street, etc.?	4	0	O	•	0	0

Scripter notes: Share list-picture of equivalence 40g-60g drinks units per country for each item. Ask this question only if total grams consumed is equal or more than women: 40 grams / men: 60 grams

Q129 - RSOD_7: RSOD frequency L12M 80g

Single coded

Not back

How often in the past 12 months, <u>have you had {#\.Equiv units RSOD 7} grams of pure alcohol or more on one occasion</u>?

{#\.Equiv_units_RSOD_7} {#\.Equiv_grams_RSOD_7}

The table below shows equivalent of $\{\#\.\$ Equiv_units_RSOD_7 $\}$ grams of pure alcohol for different beverages and various containers.

(Display table with the equivalence of drinks and alcohol grams (women: 80 gr/ men 120 gr) Would you say that you drank the mentioned amount...

Normal

- 1 Almost daily
- 2 Weekly
- 3 Monthly
- 4 Less frequently
- 5 Never in the past 12 months

Scripter notes: Ask only if RSOD_1 total grams consumed is equal or more than women 80 grams / men 120 grams

[Country-specific number of drinks has to be entered which corresponds to 80 grams of 100% alcohol for women, and 120 grams for men] (see annex)

If code = 5 then go to B006- RAPS: Consequences

Ask only if **Q129 - RSOD_7**,1

Q130 - RSOD_7_1: Frequency L12M daily 80g

Single coded

Not back

As you selected almost daily, was it

Normal

- 1 Every day
- 2 5-6 days a week

Scripter notes: [country-specific number of drinks: women 80 grams / men 120 grams] (see annex)

Ask only if **Q129 - RSOD_7**,2

Q131 - RSOD_7_2: Frequency L12M weekly 80g

Single coded

Not back

As you selected weekly, was it

Normal

- 1 3-4 days a week
- 2 1-2 days a week

Ask only if **Q129 - RSOD_7**,3

Q132 - RSOD_7_3: Frequency L12M monthly 80g

Single coded

Not back

As you selected monthly, was it

<u>Normal</u>

- 1 2-3 days in a month
- 2 one day in a month

Ask only if **Q129 - RSOD_7**,4

Q133 - RSOD_7_4: Frequency L12M less frequently 80g

Single coded

Not back

As you selected less frequently, was it

Normal

- 1 6 11 days a year
- 2 2 5 days a year
- 3 a single day in the past 12 months

B015 - RSOD2: RSOD L12M

End block

Ask only if Q037 - F_1_1,1,2 or Q038 - F_1_2,1,2 or Q039 - F_1_3,1,2 or Q040 - F_1_4,1

B006 - RAPS: Consequences

Begin block

Scripter notes: Scripter notes:

IF RESPONDENT REPORTED ABSTAINING IN THE PAST 12 MONTHS OR DRANK LESS FREQUENTLY THAN 6 DAYS IN THE PAST 12 MONTHS (RESPONSES Q040 - F_1_4,2,3 or Q041 - F_1_5,1,2), SKIP NEXT SECTION AND GO TO B007 - AP

IF RESPONDENT DRANK 6 DAYS OR MORE FREQUENTLY IN THE PAST 12 MONTHS (RESPONSES Q037 - $F_1_1, 1, 2$ or Q038 - $F_1_2, 1, 2$ or Q039 - $F_1_3, 1, 2$ or Q040 - $F_1_4, 1$) CONTINUE TO NEXT Q.

Q045 - VDB: Consequences intro

Text

Not back

Now I'd like to ask you some more questions about your drinking in the past 12 months.

Q046 - VDC: Guilt or remorse

Single coded

Not back

Have you had a feeling of guilt or remorse after drinking?

Normal

- 1 Yes
- 2 No
- 997 I prefer not to answer *Fixed *Exclusive

Q047 - VDD: Forgetfulness

Single coded

Not back

Have you had a friend or family member telling you about things you said or did while you were drinking that you did not remember?

- 1 Yes
- 2 No
- 997 I prefer not to answer *Fixed *Exclusive

Q048 - VDF: Failed

Single coded

Not back

Have you failed to do what was normally expected from you because of drinking?

Normal

1 Yes2 No

997 I prefer not to answer *Fixed *Exclusive

Q049 - VDG: Drink in the morning

Single coded

Not back

Do you sometimes take a drink in the morning when you first get up?

Normal

1 Yes2 No

997 I prefer not to answer *Fixed *Exclusive

B006 - RAPS: Consequences

End block

B007 - AP: Attitudes alcohol policy

Begin block

Not back | Number of rows: 12 | Number of columns: 4

Now you will find some statements on attitudes to alcohol policy. For each statement, please select if you strongly agree, somewhat agree, somewhat disagree or strongly disagree.

Rows: Rotated | Columns: Normal

Rendered as Dynamic Grid

		Strongly agree	Somewhat agree	Somewhat disagree	Strongly disagree
		1	2	3	4
Alcohol is a product like any other and does not require any special restrictions.	1	•	•	•	O
Adult people are responsible enough to protect themselves from the harm caused by their drinking.	2	0	0	O	•
Public authorities have the responsibility to protect people from being harmed by their own drinking.	3	0	0	•	•
The number of places selling alcoholic beverages should be kept low in order to reduce alcohol-related harm.	4	0	0	O	•
Prices of alcoholic beverages should be kept high in order to reduce alcohol-related harm.	5	•	0	•	•
Alcohol education and information should be the most important policy to reduce alcohol- related harm.	6	0	0	•	•
Advertising of alcoholic beverages should be banned.	7	•	•	•	•
The police should be allowed to check randomly whether a driver is sober or not, even without any indication of drunken driving.	8	0	0	0	0
Printed warnings about alcohol-related harm should be displayed on alcohol packaging.	9	0	0	O	0
There should be limits on how late in the evening you can buy alcoholic beverages.	10	•	•	•	0
Parents, and not legal authorities, should decide at what age their child is allowed to drink alcoholic beverages.	11	0	0	•	•
Sponsoring of athletes, sport teams or sport events by alcohol industry should be legally forbidden.	12	0	0	O	•

B007 - AP: Attitudes alcohol policy

End block

Ask only if Q036 -	F_1 ,1,2,3,4
B008 - UA: Consumption L7D	Begin block

Q157 - UA_1A: Occasions consumption L7D

Numeric

Not back | Min = 0 | Max = 50

During the past $\underline{7}$ days, how many drinking occasions did you have? If you did not consume, indicate 0.

Scripter notes: If UA_1A = 0: stop here and go to next section: CH If UA 1A => 1 go to the UA 2

Ask only if **Q157 - UA_1A** > 0

Q052 - UA_2: Other alcohol consumption L7D

Single coded

Not back

During the past <u>7 days</u>, did you consume any home-brewed alcohol, any alcohol not intended for drinking such as medicinal alcohol or other untaxed alcohol?

Normal

1 Yes
→ GO TO Q134 - UA_3
2 No
→ GO TO Q160 - UA_2_1

3 I prefer not to answer → GO TO Q160 - UA_2_1

Scripter notes: 1- Yes -> go to UA_3 2-No -> go to UA_2_1 3-I prefer not to answer -> go to UA_2_1

Ask only if **Q052 - UA_2**,2,3

Q160 - UA_2_1: Other alcohol consumption L12M

Single coded

Not back

During the <u>past 12 months</u>, did you consume any home-brewed alcohol, any alcohol not intended for drinking such as medicinal alcohol or other untaxed alcohol?

Normal

1 Yes

2 No

3 I prefer not to answer

Scripter notes: Go to next section CH

Ask only if **Q052 - UA_2**,1

Q134 - UA_3: Occasions consumption UA L7D

Numeric

Not back | Min = 0 | Max = 50

During the past <u>7 days</u>, on how many drinking occasions did you consume any home-brewed alcohol, any alcohol not intended for drinking such as medicinal alcohol or other untaxed alcohol? If you did not consume, indicate 0.

B008 - UA: Consumption L7D

End block

21

Q054 - CH_1: Influence on childhood

Single coded

Not back

During your childhood or teenage years, did you live with any person whom you consider to be a fairly heavy drinker or someone who drank a lot?

<u>Normal</u>

1 Yes → GO TO **Q055 - VDH** 2 No

997 I prefer not to answer *Fixed *Exclusive → GO TO **B010 - HD**

Scripter notes: If code 2 or 997 selected, go to B010 - HD

Ask only if **Q054 - CH_1**,1

Q055 - VDH: Influential figure

Matrix

→ GO TO **B010 - HD**

Not back | Number of rows: 6 | Number of columns: 3

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Yes	No	I prefer not to answer *Fixed *Exclusive
		1	2	997
your father (biological, adoptive father, foster father)	1	0	O	O
your mother (biological, adoptive mother, foster mother)	2	O	•	O
your father's new wife, girlfriend, partner	3	O	•	O
your mother's new husband, boyfriend, partner	4	O	O	O
your sibling(s) (brother or sister)	5	•	0	O
others in your household	6	O	O	O
Scripter	notes: ASK IF C	ODE 1 IN CH_1		

Ask only if **Q054 - CH_1**,1

Q056 - CH_2: Degree of influence

Single coded

Not back

How much were you negatively affected by this person/ these persons' drinking? Were you affected a lot, a little or not affected at all?

Normal

Affected a lot 1

2 Affected a little

3 Not affected at all

I prefer not to answer *Fixed *Exclusive 997

B009 - CH: Childhood

End block

Q057 - HD_1: Heavy drinkers familiarity

Single coded

Not back

Thinking about the past 12 months, have you had contact with anyone whom you consider to be a fairly heavy drinker or who drinks a lot sometimes?

Normal

1 Yes → GO TO **Q058 - HD_2a_1A**

2 No → GO TO **B011 - COM**

997 I prefer not to answer *Fixed *Exclusive → GO TO **B011 - COM**

Scripter notes: If code 2 or 997 selected, go to B011 - COM

Q058 - HD_2a_1A: Heavy drinkers proximity household

Matrix

Not back | Number of rows: 5 | Number of columns: 3

Was it...

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Yes	No	I prefer not answer *Fixed *Exclusive
		1	2	997
a household member	1	•	O	•
a family member or relative not in household, incl. ex-spouse or ex-partner	2	0	0	O
a work or school mate	3	•	O	•
a neighbour	4	0	O	•
a friend or acquaintance	5	0	O	•

Ask only if **Q058 - HD_2a_1A** ROW=1 & COL=1

Q063 - HD_2a_2: Heavy drinkers influence household

Single coded

Not back

How much did <u>a household member drinking</u> affect you negatively in the past 12 months? Were you affected a lot, a little or not affected at all?

- 1 Affected a lot
- 2 Affected a little
- 3 Not affected at all
- 997 I prefer not to answer *Fixed *Exclusive

Ask only if **Q058 - HD_2a_1A** ROW=2 & COL=1

Q064 - HD_2b_2: Heavy drinkers influence not in household

Single coded

Not back

How much did <u>a family member or relative not in household, incl. ex-spouse or ex-partner drinking</u> affect you negatively in the past 12 months? Were you affected a lot, a little or not affected at all?

Normal

- 1 Affected a lot
- 2 Affected a little
- 3 Not affected at all
- 997 I prefer not to answer *Fixed *Exclusive

Ask only if **Q058 - HD_2a_1A** ROW=3 & COL=1

Q065 - HD_2c_2: Heavy drinkers influence work/school

Single coded

Not back

How much did <u>a work or school mate drinking</u> affect you negatively in the past 12 months? Were you affected a lot, a little or not affected at all?

Normal

- 1 Affected a lot
- 2 Affected a little
- 3 Not affected at all
- 997 I prefer not to answer *Fixed *Exclusive

Ask only if **Q058 - HD_2a_1A** ROW=4 & COL=1

Q066 - HD_2d_2: Heavy drinkers influence neighbour

Single coded

Not back

How much did <u>a neighbour drinking</u> affect you negatively in the past 12 months? Were you affected a lot, a little or not affected at all?

Normal

- 1 Affected a lot
- 2 Affected a little
- 3 Not affected at all
- 997 I prefer not to answer *Fixed *Exclusive

Ask only if **Q058 - HD_2a_1A** ROW=5 & COL=1

Q067 - HD_2e_2: Heavy drinkers influence friend

Single coded

Not back

How much did <u>a friend or acquaintance drinking</u> affect you negatively in the past 12 months? Were you affected a lot, a little or not affected at all?

<u>Normal</u>

- 1 Affected a lot
- 2 Affected a little
- 3 Not affected at all
- 997 I prefer not to answer *Fixed *Exclusive

B010 - HD: Heavy drinkers

End block

Q068 - COM_Intro: Intro indirect consequences

Text

Not back

The next questions are about various problems that can occur because of someone else's drinking. I will ask you about several problems.

Q201 - COM_A: Matrix

Not back | Number of rows: 8 | Number of columns: 3

In the past 12 months, because of someone else's drinking behaviour, have you...

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Yes	No	I prefer not to answer
		1	2	3
been woken up at night	1	•	•	O
been verbally abused i.e. called names or otherwise insulted	2	O	O	0
been harmed physically	3	•	•	O
been involved in a serious argument	4	•	•	O
been a passenger with a driver who had too much to drink	5	•	0	0
been involved in a traffic accident	6	•	•	O
felt unsafe in public places, including public transportation	7	0	0	0
been annoyed by people vomiting, urinating or littering	8	O	O	0

Researcher notes: COM questions:

Although in word questionnaire the questions of this block are grids, the interviewee will answer the questions in the following sequence for each of the 8 items. See below an example.

- 1- In the past 12 months, because of someone else's drinking behaviour, have you been woken up at nightt? (If Yes, go to Q.2)
- 2- In the past 12 months, as you said you have been woken up at night because of someone else's drinking...

...were you affected a lot, a little or not affected at all?"

3- In the past 12 months, as you said you have been woken up at night because of someone else's drinking...

...was it someone you know or someone you do not know?"

Scripter notes: If code 1- Yes, GO TO Q202 - COM_B y Q203 - COM_C

Q202 - COM_B: Matrix

Not back | Number of rows: 8 | Number of columns: 4

In the past 12 months, as you said you have {Rows} ...were you affected a lot, a little or not affected at all?"

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

Rendered as Dynamic oria					
		A lot	A little	Not affected at all	I prefer not to answer
		1	2	3	4
been woken up at night because of someone else's drinking	1	•	•	O	•
been verbally abused i.e. called names or otherwise insulted because of someone else's drinking	2	O	0	0	O
been harmed physically because of someone else's drinking	3	•	0	•	O
been involved in a serious argument because of someone else's drinking	4	•	O	•	O
been a passenger with a driver who had too much to drink	5	•	•	O	O
been involved in a traffic accident because of someone else's drinking	6	O	•	0	O
felt unsafe in public places, including public transportation because of someone else's drinking	7	0	0	0	•
been annoyed by people vomiting, urinating or littering because of someone else's drinking	8	O	O	•	O

Q203 - COM_C: Matrix

Not back | Number of rows: 8 | Number of columns: 4

In the past 12 months, as you said you have {Rows}

...was it someone you know or someone you do not know?

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Someone I know	Someone I do not know	Both	I prefer not to answer
		1	2	3	4
been woken up at night because of someone else's drinking	1	•	0	•	O
been verbally abused i.e. called names or otherwise insulted because of someone else's drinking	2	O	0	•	O
been harmed physically because of someone else's drinking	3	•	0	•	•
been involved in a serious argument because of someone else's drinking	4	•	0	•	O
been a passenger with a driver who had too much to drink	5	•	•	•	•
been involved in a traffic accident because of someone else's drinking	6	•	0	•	0
felt unsafe in public places, including public transportation because of someone else's drinking	7	O	0	•	O
been annoyed by people vomiting, urinating or littering because of someone else's drinking	8	•	0	•	•

Ask only if Q036 - F_1 ,1,2,3,4	
B012 - IH: ALCOHOL EFFECT/EXPERIENCES	Begin block

Q093 - IH_1: Drinking harmful effect

Matrix

Not back | Number of rows: 7 | Number of columns: 3

In the past 12 months, has YOUR drinking had a harmful effect...

Rows: Rotated | Columns: Normal

Rendered as Dynamic Grid

Kendered as Dynamic Grid				
		Yes	No	I prefer not to answer *Fixed *Exclusive
		1	2	997
on your work, studies or employment opportunities?	1	•	•	•
on your housework or chores around the house?	2	•	O	O
on your marriage/intimate relationships?	3	O	•	•
on your relationships with other family members, including your children?	4	•	•	•
on your friendships or social life?	5	O	O	O
on your physical health?	6	O	•	0
on your finances?	7	O	O	O

Q094 - IH_2: Experiences

Matrix

Not back | Number of rows: 3 | Number of columns: 3

In the past 12 months, have you had any of the following experiences?

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		Yes	No	I prefer not to answer *Fixed *Exclusive
		1	2	997
Have you had trouble with the law because of your drinking and driving?	1	0	•	O
Have you had other trouble with the law because of your drinking?	2	0	O	O
Have you got into a fight while drinking?	3	O	O	O

B012 - IH: ALCOHOL EFFECT/EXPERIENCES

End block

B017 - UA_P12M: UNRECODED ALCOHOLIC BEVERAGES

Begin block

Text

Q152 - UA_P12M_Intro: Intro unrecorded alcoholic beverages P12M

Not back

This section of the questionnaire will be dealing with unrecorded or untaxed alcoholic beverages which you might have acquired in the past 12 months. We would like to know how much alcohol you personally acquired (e.g. brought from abroad, produced at home or got from a home producer and similar) in the past 12 months which probably has not been recorded in official statistics of recorded alcohol consumption in your country.

Q155 - UA_P12M_3: Unrecoded beer acquired and consumed

Matrix

Not back | Number of rows: 2 | Number of columns: 2

How much <u>beer</u> have you <u>acquired</u> from unrecorded sources in the past 12 months? How much of this amount did you <u>consume</u> yourself in the past 12 months? If you did not acquire / consume in some option, indicate 0.

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		From abroad	From domestic sources
		1	2
Amount acquired (in litres)	1	O	O
Amount consumed (in litres)	2	0	O

Scripter notes: Amount acquired (in litres) cannot be lower than amount consumed. Please consider to introduce relevant warning in the script.

Q154 - UA_P12M_2: Unrecoded wine acquired and consumed

Matrix

Not back | Number of rows: 2 | Number of columns: 2

How much <u>wine</u> e.g. grape wine, fruit wine, sparkling wine and alike have you <u>acquired</u> from unrecorded sources in the past 12 months?

How much of this amount did you consume yourself in the past 12 months?

If you did not acquire / consume in some option, indicate 0.

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		From abroad	From domestic sources
		1	2
Amount acquired (in litres)	1	O	O
Amount consumed (in litres)	2	O	O

Scripter notes: Amount acquired (in litres) cannot be lower than amount consumed. Please consider to introduce relevant warning in the script.

Q153 - UA_P12M_1: Unrecoded spirits acquired and consumed

Matrix

Not back | Number of rows: 2 | Number of columns: 2

How much spirits e.g. vodka, whisky, gin, brandy and alike have you acquired from unrecorded sources such as brought from abroad, produced at home, or got from home producer in the past 12 months? How much of this amount did you consume yourself in the past 12 months? If you did not acquire / consume in some option, indicate 0.

Rows: Normal | Columns: Normal

Rendered as Dynamic Grid

		From abroad	From domestic sources
		1	2
Amount acquired (in litres)	1	O	O
Amount consumed (in litres)	2	O	O

Scripter notes: Amount acquired (in litres) cannot be lower than amount consumed. Please consider to introduce relevant warning in the script.

B017 - UA_P12M: UNRECODED ALCOHOLIC BEVERAGES

End block

Q151 - CP_1: Coronavirus pandemic affections

Single coded

Not back

To what extent dic present coronavirus pandemic affect your current consumption of alcohol?

Normal

- 1 No impact whatsoever
- 2 My alcohol consumption increased
- 3 My alcohol consumption decreased
- 4 I do not know

B016 - CP: Coronavirus pandemic

End block

B013 - SD: SOCIODEMOGRAPHICS

Begin block

Q098 - SD_4: Marital status

Single coded

Not back

What is your current legal marital status?

Normal

- 1 Married (or in a registered partnership) and living together with my (registered) partner
- 2 Married (or in a registered partnership) and living apart from my (registered) partner
- 3 Never married and never in a registered partnership
- 4 Divorced and not married
- 5 Widowed and not married

Scripter notes: If code 1, go to Q100 - SD_6

Q099 - SD_5: Permanent partner

Single coded

Not back

Do you have a permanent partner?

Normal

- 1 Yes, I have a permanent partner and I live with him/her
- 2 Yes, I have a permanent partner but I do not live with him/her
- 3 No, I have no permanent partner

Q100 - SD_6: Household size

Single coded

Not back

How many people are permanently living in your household, including yourself, your spouse or partner, and any other family members living with you?

Normal

- 1 I'm living alone
- 2 I'm living with more people at home

Scripter notes: If code 1 selectd, go to Q102 - SD_8

Ask only if **Q100 - SD_6**,2

Q147 - SD_6A: Household size_2

Numeric

Not back | Min = 2 | Max = 20

How many persons are living in your household?

Please include yourself in this number.

Scripter notes: Ask only if code 2 marked at Q100 - SD_6: Household size

Q101 - SD_7: Household members under 18

Numeric

Not back | Min = 0 | Max = 20

How many people living in your household are under 18 years old?

Scripter notes: Ask only if code 2 marked at Q100 - SD_6: Household size Control: Number of persons under 18 must not be equal or higher than a number of persons reported in SD_6.

Q102 - SD_8: Type of residence

Single coded

Not back

Which of these categories best describes the type of place where your main residence is located?

Normal

- 1 A village or a farm
- A small city or town (below 50,000 res.)
- 3 A medium-size city (50,000-250,000 res.)
- 4 A large city (more than 250,000 up to 1 million res.)
- 5 A very large city (over 1 million res.)

Q103 - SD_9: Highest school grade

Single coded

Not back

What is the highest educational grade you have completed?

Normal

- 1 Basic or Primary schooling
- 2 Secondary schooling
- 3 Post-secondary vocational training/ education
- 4 Higher education/University studies
- 5 No schooling at all

Q104 - SD_10: Professionally active

Single coded

Not back

Are you currently professionally active or non-active?

Normal

- 1 Active
- 2 Non-active

Scripter notes: - 1- Active - go to Demo_Empl, SD_11, SD_12 -2- Non active - go to SD_13, SD_14

Ask only if **Q104 - SD_10**,1

Q148 - Demo_Empl: Employment status

Single coded

Not back

What is your current employment status? Please choose the option that best describes your situation.

Normal

Full-time employment
 Part-time employment
 Other (specify): *Open *Fixed

Ask only if **Q104 - SD_10**,1

Q105 - SD_11: Occupation

Single coded

Not back

What is your current occupation?

Normal

- 1 Unskilled manual worker (e.g. servant, domestic worker)
- 2 Skilled manual worker (e.g. farmer, fisherman, craftsman, electrician, construction worker, taxi-driver)
- 3 Manager, supervisor (e.g. managerial staff, high and medium-level civil servants, armed forces or police officers)
- 4 Other office/non-manual worker (e.g. other civil servants, basic ranks of armed forces or police personnel)
- 5 Professional (e.g. lawyer, medical practitioner, architect, accountant)
- Businessperson (e.g. business proprietor, employer, owner or co-owner of a company, owner of a shop, restaurant)
- 996 Other (specify): *Open *Fixed

Ask only if **Q104 - SD_10**,1

Q106 - SD_12: Employment status

Single coded

Not back

Are you employed or self-employed?

Normal

- 1 Employed
- 2 Self-employed

Scripter notes: AFTER THIS QUESTION (ANY CODE SELECTED), GO TO Q113 - SD_19

Ask only if **Q104 - SD_10**,2

Q107 - SD_13: Non professionally active status

Single coded

Not back

If you are currently professionally non-active, are you

- 1 Student
- 2 Unemployed or temporarily not working
- 3 Retired or unable to work due to ill health
- 4 Home carer
- 5 Other non-active

Ask only if **Q104 - SD_10**,2

Q108 - SD_14: Paid work in the past

Single coded

Not back

Did you do any paid work in the past?

Normal

- 1 Yes
- 2 No

Scripter notes: If code 2, go to SD_17

Ask only if **Q108 - SD_14**,1

Q109 - SD_15: Last occupation

Single coded

Not back

What was your last occupation? Please select from the list below.

Normal

- 1 Unskilled manual worker (e.g. servant, domestic worker)
- 2 Skilled manual worker (e.g. farmer, fisherman, craftsman, electrician, construction worker, taxi-driver)
- Manager, supervisor (e.g. managerial staff, high and medium-level civil servants, armed forces or police officers)
- Other office/non-manual worker (e.g. other civil servants, basic ranks of armed forces or police personnel)
- 5 Professional (e.g. lawyer, medical practitioner, architect, accountant)
- Businessperson (e.g. business proprietor, employer, owner or co-owner of a company, owner of a shop, restaurant)
- 996 Other (specify): *Open *Fixed

Ask only if **Q108 - SD_14**,1

Q110 - SD_16: Previous employment status

Single coded

Not back

Were you employed or self-employed?

- 1 Employed
- 2 Self-employed

Ask only if Q107 - SD_13,1,2,4,5 or Q107 - SD_13,3 and Q108 - SD_14,2

Q111 - SD_17: Occupation household income provider

Single coded

Not back

What is the occupation or the last occupation of the person who contribute most to the household income?

Normal

- 1 Unskilled manual worker (e.g. servant, domestic worker)
- 2 Skilled manual worker (e.g. farmer, fisherman, craftsman, electrician, construction worker, taxi-driver)
- 3 Manager, supervisor (e.g. managerial staff, high and medium-level civil servants, armed forces or police officers)
- 4 Other white-collar worker (e.g. other civil servants, basic ranks of armed forces or police personnel)
- 5 Professional (e.g. lawyer, medical practitioner, architect, accountant)
- Businessperson (e.g. business proprietor, employer, owner or co-owner of a company, owner of a shop, restaurant)
- 996 Other (specify): *Open *Fixed

Scripter notes: If SD_13 code 3 (Retired....), and SD_14 code, 1(Yes), questions SD_17 - SD_18 should not be asked.

Ask only if **Q104 - SD_10**,2

Q112 - SD_18: Type employment income provider

Single coded

Not back

Is s/he employed or self-employed?

Normal

- 1 Employed
- 2 Self-employed

Q113 - SD_19: Drive a motor vehicle regularly

Single coded

Answer not required | Not back

Do you regularly (at least on a weekly basis) drive a car or other motor vehicle?

Normal

- 1 Yes
- 2 No

Q114 - SD_20: Monthly net household income

Numeric

Not back | Min = 0 | Max = 999999999

Now we would like to ask you to estimate your household's total net income (<u>Income list: moneda</u>). You get this by adding up the <u>[Income list: monthly or annual]</u> income from all sources and all household members (including yourself). This is the money each person receives after tax and other compulsory deductions. Your <u>[Income list: monthly or annual]</u> net household income is

999 Don't know exact sum *Fixed *Exclusive

997 I prefer not to answer *Fixed *Exclusive

Scripter notes: If code 999 GO TO Q115 - SD_20A If code 997 go to Q116-SD_21

Q115 - SD_20A: Category household income

Single coded

Not back

Which income category from the list below describes your household's total [Income list: monthly or annually] net income:

Normal

1 Category 1 2 Category 2 3 Category 3 4 Category 4 5 Category 5 6 Category 6 7 Category 7 8 Category 8 9 Category 9 10 Category 10 999 Don't know *Fixed *Exclusive

Scripter notes: SPECIFY CURRENCY CORRESPONDING TO EACH COUNTRY. SET THEM UP IN INTERVALS Ask only if Q114 - SD_20,999

Q116 - SD_21: Religious affiliation

Single coded

Not back

What is your religious affiliation?

Normal

- 1 Roman Catholic
- 2 Protestant
- 3 Eastern Orthodox (including Greek and Russian Orthodox)
- 4 Other Christian churches
- 5 Muslim
- 6 Hinduism
- 7 Buddhism
- 8 Jewish
- 9 None
- 996 Other (specify): *Open *Fixed
- 997 I prefer not to answer *Fixed *Exclusive

Ask only if NOT Q116 - SD_21,9,997

Q117 - SD_22: Religious involvement

Single coded

Answer not required | Not back

What is your religious involvement?

- 1 Believing and practising regularly
- 2 Believing but not practising regularly
- 3 Not believing
- 997 I prefer not to answer *Fixed *Exclusive

Ask only if **Q095 - SD_1**,2

Q118 - SD_23: Pregnant in L12M

Single coded

Not back

Were you pregnant at any time in the past 12 months?

Normal

1 Yes2 No

997 I prefer not to answer *Fixed *Exclusive

Ask only if **Q118 - SD_23**,1

Q119 - SD_23a: Alcohol concumption during pregnancy

Single coded

Not back

Did you consume any alcohol during your pregnancy?

Normal

1 Yes2 No

997 I prefer not to answer *Fixed *Exclusive

B013 - SD: SOCIODEMOGRAPHICS

End block

Q135 - INTERVIEW_INFO: INTERVIEW INFORMATION

Text

Not back

Scripter notes: REMEMBER TO ADD A BOX TO INPUT "DATE OF INTERVIEW", "INTERVIEWER CODE" (FOR CAPI), AND "TIME INTERVIEW ENDED" (HOUR & MINUTES)

If the interview was interrupted (for more than 5 minutes) please sum up duration of all breaks in minutes

Q149 - GRAT: Gratitude

Text

Not back

We are very grateful to have had your collaboration.

Thank you very much.

Annex - Country-specific lists

Below are the tables showing the UK values for different country-specific lists included in the questionnaire

Standard Drink - equivalent in pure alcohol

			Threshol	ds / SDs*	
Country	Standard drink (g)	40gr	60gr	80gr	120gr
United Kingdom	8	5.0	7.5	10.0	15.0

^{*} Standard drinks needed to reach the threshold

Beer containers

Code		Country	English Text
	101	United Kingdom	small bottles (up to 330 ml)
		United Kingdom	pints (568 ml) or large bottles (up to 500 ml)

Wine containers

Code		Country	English Text
	180	United Kingdom	small glasses (up to 125 ml)
		United Kingdom	medium glasses (175 ml)
		United Kingdom	large glasses of wine (250 ml)
		United Kingdom	bottles (750 ml)

Spirits containers

Code	Country	English Text
262	United Kingdom	Single measure (30 ml)
	United Kingdom	double measure (60 ml)

Additional beverage (Cider)

Code

Country	English Text
United Kingdom	small bottles (up to 330 ml)
United Kingdom	pints (568 ml) or large bottles (up to 500 ml)

RSOD_2

	Translate	WOMEN: How often in the past 12 months, have you had 40 grams of pure alcohol or more on one occasion? 40 grams of pure alcohol is about 2.5	MEN: How often in the past 12 months, have you had 60 grams of pure alcohol or more on one occasion? 60 grams of pure alcohol is about 4 pints
	only blue sentence (according country example)	pints of regular beer or lager or 4 small glasses of wine or 4 single measures of spirits or combinations of different beverages, e.g. 2 small glasses of wine and 2 single measures of spirits.	of regular beer or lager or 3 medium glasses of wine or 6 single measures of spirits or combinations of different beverages e.g. 2 pints of beer and 3 single measure of spirits.
		The table below shows equivalent of 40 grams of pure alcohol for different beverages and various containers.	The table below shows equivalent of 60 grams of pure alcohol for different beverages and various containers.
		Would you say that you drank	Would you say that you drank
country	Languages	40gr	60gr
UK	English	grams of pure alcohol is about 2.5 pints	grams of pure alcohol is about 4 pints of
		of regular beer or lager or 4 small	regular beer or lager or 3 medium
		glasses of wine or 4 single measures of spirits or combinations of different	glasses of wine or 6 single measures of spirits or combinations of different
		beverages e.g., 2 small glasses of wine	beverages e.g., 2 pints of beer and 3
		and 2 single measures of spirits.	single measure of spirits.

RSOD_7

		spirits or combinations of different beverages.	spirits or combinations of different beverages.
		bottle of wine or 8 single measures of	bottles of wine or 12 single measures of
		pints of regular beer or lager or 1	pints of regular beer or lager or 2
UK	English	grams of pure alcohol is e.g., about 5	grams of pure alcohol is e.g., about 8
País	Languages	80gr	120gr
		Would you say that you drank the mentioned amount	Would you say that you drank the mentioned amount
	cxampicy	The table below shows equivalent of 80 grams of pure alcohol for different beverages and various containers.	The table below shows equivalent of 120 grams of pure alcohol for different beverages and various containers
	Translate only blue sentence (according country example)	80 grams of pure alcohol is e.g. about 5 pints of regular beer or lager or a 1 bottle of wine or 8 single measures of spirits or combinations of different beverages.	120 grams of pure alcohol is e.g. about 8 pints of regular beer or lager or 2 bottles of wine or 12 single measures of spirits or combinations of different beverages.
		WOMEN: How often in the past 12 months, have you had 80 grams of pure alcohol or more on one occasion?	MEN: How often in the past 12 months, have you had 120 grams of pure alcohol or more on one occasion?